FIG.1


1
ELECTRONIC DOCUMENT COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
2
FIRST COLOR CORRECTION CONVERSION UNIT
3
OUTPUT DEVICE
ELECTRONIC DOCUMENT
4

FIG.2


4
11
12
3

008180 8270h960

FIG.3



FIG.4



FIG.5



0961078 "0818000

008780"8270h960

FIG.6



FIG.7A



FIG.7B



FIG.7C



FIG.8


1
ELECTRONIC DOCUMENT COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
5
SECOND COLOR CORRECTION CONVERSION UNIT
6
DISPLAY DEVICE
ELECTRONIC DOCUMENT
4

FIG.9A



FIG.9B



0068380 "87/04/960

FIG.10


SECOND COLOR CORRECTION CONVERSION UNIT
DISPLAY DEVICE COLOR TEMPERATURE CORRESPONDING COLOR CONVERSION COEFFICIENT MEMORY UNIT
5
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR CHANGING APPEARANCE OF COLOR OF ILLUMINANT
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR COMPRESSING COLOR REPRODUCTION RANGE
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR DEVICE COLOR CORRECTION
41
44
42
43
SELECTION OF COEFFICIENT
1
ELECTRONIC DOCUMENT COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
DISPLAY DEVICE COLOR TEMPERATURE CORRESPONDING COLOR CONVERSION COEFFICIENT MANAGEMENT UNIT
45
DISPLAY DEVICE COLOR TEMPERATURE CORRESPONDING COLOR CONVERSION UNIT
46
6
ELECTRONIC DOCUMENT
ILLUMINANT COLOR APPEARANCE CONVERSION UNIT
COLOR REPRODUCTION RANGE COMPRESSION UNIT
DEVICE COLOR CORRECTION UNIT
DISPLAY DEVICE
4
47
48
49

FIG.11


SECOND COLOR CORRECTION CONVERSION UNIT
DISPLAY DEVICE COMMON COLOR TEMPERATURE CONVERSION COEFFICIENT MEMORY UNIT
5
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR CHANGING APPEARANCE OF COLOR OF ILLUMINANT
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR COMPRESSING COLOR REPRODUCTION RANGE
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR RETAINING COLOR TEMPERATURE INFORMATION
51
52
42
43
SELECTION OF COEFFICIENT
1
ELECTRONIC DOCUMENT COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
DISPLAY DEVICE COMMON COLOR TEMPERATURE CONVERSION COEFFICIENT MANAGEMENT UNIT
53
54
DISPLAY DEVICE COMMON COLOR TEMPERATURE CONVERSION UNIT
ILLUMINANT COLOR APPEARANCE CONVERSION UNIT
COLOR REPRODUCTION RANGE COMPRESSION UNIT
COLOR CONVERSION UNIT FOR RETAINING COLOR TEMPERATURE INFORMATION
DISPLAY DEVICE COLOR TEMPERATURE CORRESPONDING COLOR CONVERSION UNIT
56
DEVICE COLOR CORRECTION UNIT
6
DISPLAY DEVICE
ELECTRONIC DOCUMENT
4
47
48
55
49

FIG.12


STANDARD WHITE D65
STANDARD WHITE D50
Lab
XYZ
L' a' b'

FIG.13


RECORDED PRODUCT OBSERVATION LIGHT SOURCE COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
7
ELECTRONIC DOCUMENT COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
1
ELECTRONIC DOCUMENT
4
THIRD COLOR CORRECTION CONVERSION UNIT
8
SECOND COLOR CORRECTION CONVERSION UNIT
5
DISPLAY DEVICE
6

FIG.14



FIG.15



FIG.16A


THIRD COLOR CORRECTION CONVERSION UNIT
RECORDED PRODUCT OBSERVATION LIGHT SOURCE COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
7
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR SIMULATING RECORDED PRODUCT
8
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR COMPRESSING COLOR REPRODUCTION RANGE OF RECORDED PRODUCT
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR CHANGING COLOR TEMPERATURE OF RECORDED PRODUCT
61
62
SELECTION OF COEFFICIENT
63
ELECTRONIC DOCUMENT COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
1
COLOR CONVERSION COEFFICIENT MANAGEMENT UNIT FOR SIMULATING RECORDED PRODUCT
64
A
COLOR CONVERSION UNIT FOR SIMULATING RECORDED PRODUCT
65
66
RECORDED PRODUCT COLOR REPRODUCTION RANGE COMPRESSION UNIT
RECORDED PRODUCT COLOR TEMPERATURE CONVERSION UNIT
67
ELECTRONIC DOCUMENT
4
B

FIG.16B


SECOND COLOR CORRECTION CONVERSION UNIT
DISPLAY DEVICE COLOR TEMPERATURE CORRESPONDING COLOR CONVERSION COEFFICIENT MEMORY UNIT
5
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR CHANGING APPEARANCE OF COLOR OF ILLUMINANT
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR COMPRESSING COLOR REPRODUCTION RANGE
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR DEVICE COLOR CORRECTION
41
44
42
43
SELECTION OF COEFFICIENT
A
DISPLAY DEVICE COLOR TEMPERATURE CORRESPONDING COLOR CONVERSION COEFFICIENT MANAGEMENT UNIT
45
DISPLAY DEVICE COLOR TEMPERATURE CORRESPONDING COLOR CONVERSION UNIT
46
B
ILLUMINANT COLOR APPEARANCE CONVERSION UNIT
COLOR REPRODUCTION RANGE COMPRESSION UNIT
DEVICE COLOR CORRECTION UNIT
6
DISPLAY DEVICE
47
48
49

FIG.17A


THIRD COLOR CORRECTION CONVERSION UNIT
8
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR SIMULATING RECORDED PRODUCT
61
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR COMPRESSING COLOR REPRODUCTION RANGE OF RECORDED PRODUCT
62
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR CHANGING COLOR TEMPERATURE OF RECORDED PRODUCT
63
SELECTION OF COEFFICIENT
RECORDED PRODUCT OBSERVATION LIGHT SOURCE COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
7
ELECTRONIC DOCUMENT COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
1
COLOR CONVERSION COEFFICIENT MANAGEMENT UNIT FOR SIMULATING RECORDED PRODUCT
64
C
COLOR CONVERSION UNIT FOR SIMULATING RECORDED PRODUCT
65
66
RECORDED PRODUCT COLOR REPRODUCTION RANGE COMPRESSION UNIT
RECORDED PRODUCT COLOR TEMPERATURE CONVERSION UNIT
67
D
ELECTRONIC DOCUMENT
4

008180"8270h960

FIG.17B



0087B0" 8704950

FIG.18



FIG.19



FIG.20A


THIRD COLOR CORRECTION CONVERSION UNIT
RECORDED PRODUCT OBSERVATION LIGHT SOURCE COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
7
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR SIMULATING RECORDED PRODUCT
8
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR COMPRESSING COLOR REPRODUCTION RANGE OF RECORDED PRODUCT
61
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR CHANGING COLOR TEMPERATURE OF RECORDED PRODUCT
62
SELECTION OF COEFFICIENT
63
ELECTRONIC DOCUMENT COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
1
COLOR CONVERSION COEFFICIENT MANAGEMENT UNIT FOR SIMULATING RECORDED PRODUCT
64
E
COLOR CONVERSION UNIT FOR SIMULATING RECORDED PRODUCT
65
66
RECORDED PRODUCT COLOR REPRODUCTION RANGE COMPRESSION UNIT
RECORDED PRODUCT COLOR TEMPERATURE CONVERSION UNIT
67
F
ELECTRONIC DOCUMENT
4

FIG.20B


2
FIRST COLOR CORRECTION CONVERSION UNIT
RECORDED PRODUCT COLOR TEMPERATURE CORRESPONDING COLOR CONVERSION COEFFICIENT MEMORY UNIT
21
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR COMPRESSING COLOR REPRODUCTION RANGE
22
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR DEVICE COLOR CORRECTION
23
SELECTION OF COEFFICIENT
RECORDED PRODUCT COLOR TEMPERATURE CORRESPONDING COLOR CONVERSION COEFFICIENT MANAGEMENT UNIT
24
RECORDED PRODUCT COLOR TEMPERATURE CORRESPONDING COLOR CONVERSION UNIT
25
COLOR REPRODUCTION RANGE COMPRESSION UNIT
26
DEVICE COLOR CORRECTION UNIT
27
3
OUTPUT DEVICE
E
F

FIG.21A


THIRD COLOR CORRECTION CONVERSION UNIT
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR SIMULATING RECORDED PRODUCT
8
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR COMPRESSING COLOR REPRODUCTION RANGE OF RECORDED PRODUCT
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR CHANGING COLOR TEMPERATURE OF RECORDED PRODUCT
61
RECORDED PRODUCT OBSERVATION LIGHT SOURCE COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
7
62
SELECTION OF COEFFICIENT
63
ELECTRONIC DOCUMENT COLOR TEMPERATURE INFORMATION RECOGNITION UNIT
1
COLOR CONVERSION COEFFICIENT MANAGEMENT UNIT FOR SIMULATING RECORDED PRODUCT
64
G
COLOR CONVERSION UNIT FOR SIMULATING RECORDED PRODUCT
65
66
RECORDED PRODUCT COLOR REPRODUCTION RANGE COMPRESSION UNIT
RECORDED PRODUCT COLOR TEMPERATURE CONVERSION UNIT
67
ELECTRONIC DOCUMENT
4
H


FIRST COLOR CORRECTION CONVERSION UNIT
2
RECORDED PRODUCT COMMON COLOR TEMPERATURE CONVERSION COEFFICIENT MEMORY UNIT
31
COLOR CONVERSION COEFFICIENT MEMORY UNIT FOR CHANGING COLOR MATERIAL DEPENDENT COLOR TEMPERATURE
32
SELECTION OF COEFFICIENT
RECORDED PRODUCT COMMON COLOR TEMPERATURE CONVERSION COEFFICIENT MANAGEMENT UNIT
33
G
RECORDED PRODUCT COMMON COLOR TEMPERATURE CONVERSION UNIT
34
COLOR MATERIAL DEPENDENT COLOR TEMPERATURE CONVERSION UNIT
35
H
RECORDED PRODUCT COMMON COLOR CONVERSION UNIT
36
COLOR REPRODUCTION RANGE COMPRESSION UNIT
26
DEVICE COLOR CORRECTION UNIT
27
3
OUTPUT DEVICE

FIG.21B

00810"8270h960

FIG.22



FIG.23A



FIG.23B



FIG.24A



FIG.24B



FIG.25



0964077B.08180D

FIG.26A



FIG.26B



FIG.26C



0096407 28 - 08/800

FIG.27



FIG.28


ELECTRONIC DOCUMENT
101
102
D50→4000K COLOR APPEARANCE MODEL
D50→D65 COLOR APPEARANCE MODEL
D50→9300K COLOR APPEARANCE MODEL
103
DEVICE COLOR CORRECTION FOR Disp4000K
DEVICE COLOR CORRECTION FOR DispD50
DEVICE COLOR CORRECTION FOR DispD65
DEVICE COLOR CORRECTION FOR Disp9300K
DISPLAY DEVICE
104
4000K
105
D50
106
D65
107
9300K
OUTPUT CONVERSION UNIT
108
109
OUTPUT DEVICE D50
110
111
112
RECORDED PRODUCT
113
OBSERVED AT 4000K
OBSERVED AT D50
OBSERVED AT D65